SOW-00-8432-8H275B-1/1

STATEMENT OF WORK (SOW)
For the Repair of the
Cable Assembly, Power, Electrical
NSN 5995-01-426-4480

P/N: 94008A1061; CAGE: 01365

RONNIE M. BACK

Date: March 25, 1999

Intelligence Section Equipment Specialist (Code 843-2) MCLB, Albany GA

DAVID M. ROBINSON

Intelligence Section Inventory Manager (Code 843-2) MCLB, Albany GA

WILLIAM T. REYNOLDS

Weapon System/Equipment Manager Intelligence Section (Code 843-2) MCLB, Albany GA

TABLE OF CONTENTS

<u>Paragraph</u>	<u>Title</u>	Page
1.0	Scope	1
1.1	Background	1
2.0	Applicable Documents	1
2.1	Military Standards	1
2.2	Military Specifications	1
2.3	Industry Standards	2
2.4	Other Government Documents and Publications	2
3.0	Requirements	2
3.1	General Tasks	2
3.2	Detail Tasks	2
3.2.1	Phase I (Pre-Induction)	2
3.2.2	Phase II (Repair)	3
3.2.3	Phase III (Inspection, Testing and Acceptance)	3
3.2.4	Phase IV (Packaging, Handling, Storage and Transportation (PHS&T))	4
3.3	Government Furnished Equipment (GFE)/Materiel (GFM) Accountability	4
3.4	Contractor Furnished Equipment	4
3.5	Electrostatic Discharge (ESD) Control Program	4
3.6	Quality Assurance Provisions	5
3.7	Acceptance	5
3.8	Rejection	5
3.9	Configuration Control	5
4.0	Reports	5
4.1	Pre-Induction Checklist	5
4.2	Repairable Item Inspection Report	5
4.3	Monthly Progress Report	5
<u>Appendix</u>		
Α	Standard Form 364 (Rev. 2-80)	
В	DA Form 2404 (1 Apr 79)	

SOW-00-8432-8H275B-1/1

For the Repair of the Cable Assembly, Power, Electrical NSN 5995-01-426-4480 P/N: 94008A1061; CAGE: 01365

1.0 Scope

1.1 Background

This Statement of Work (SOW) establishes, sets forth tasks, and identifies the work effort that shall be performed by the Contractor to repair the Cable Assembly, Power, Electrical, 5995-01-426-4480; hereafter referred to as the Cable Assembly, Power, Electrical. This document contains requirements to restore the Cable Assembly, Power, Electrical to Condition Code "A." Condition Code A is defined as "serviceable/issuable without qualification, new, used, repaired or reconditioned material which is serviceable and issuable to all customers without limitation or restriction, including material with more than 6 months shelf-life remaining."

2.0 Applicable Documents

The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

2.1 Military Standards

MIL-STD-129

DoD Standard Practice for Military Marking

Military Standards (For Reference Only)

MIL-STD-973

Configuration Management

2.2 Military Specifications

NAS 3417

Packaging of Electrical Cable-Cord-Wire

SOW-00-8432-8H275B-1/1

Date: March 25, 1999 2.3 Industry Standards

ANSI/EIA-625 Requirements for Handling Electrostatic-Discharge

Sensitive ESDS Devices

ANSI/ISO/ASQC Q9003-1994 Quality Systems

2.4 Other Government Documents and Publications The issues of those documents cited below shall be used.

247892-720 Test Specifications 247892-750 Test Procedures

DOD 4000.25-1-M MILSTRIP Manual

NAVICPINST 4491.2A Requisitioning of Contractor Furnished Material From

The Federal Supply System

(Copies of military specifications and standards are available from the Naval Publications and Forms Center, (Attn: NPODS), 5801 Tabor Avenue, Philadelphia, PA 19120-5099. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the contracting officer: Commander, Marine Corps Logistics Bases, (Code 890) Attn: Contracting Officer, 814 Radford Blvd., Albany, Georgia 31704-1128, commercial telephone number (912) 439-6773 or DSN 567-6773. Copies of engineering drawings, if applicable, shall be obtained from Commander (Code 825-3), Marine Corps Logistics Bases, 814 Radford Blvd., Albany, Georgia 31704-1128, commercial telephone number (912) 439-6410 or DSN 567-6410.

3.0 Requirements

- 3.1 <u>General Tasks</u> In fulfilling the specified requirements, the Contractor shall provide materials, labor, equipment, facilities and missing/repair parts, necessary to inspect, diagnose, restore, and test and calibrate the Cable Assembly, Power, Electrical. Upon completion of repairing the subject item it shall be Condition Code "A."
- **3.2 <u>Detail Tasks</u>** The following tasks describe the different phases for repair of the Cable Assembly, Power, Electrical:

Phase I Pre-Induction
Phase II Repair

Phase III Inspection, Testing and Acceptance

Phase IV Preparation for Shipment and/or Storage

3.2.1 <u>Phase I (Pre-Induction)</u> A pre-induction inspection analysis shall be performed for each Cable Assembly, Power, Electrical within 5 working days of induction into the Contractor's facility for evaluation of repair capability. If repair is not feasible, assign Condition Code "H"

Date: March 25, 1999

(CC "H"), notify Marine Corps Logistics Base, Albany, Georgia for disposition instructions, otherwise assign CC "M" and induct into the repair cycle. Standard Form 364 (Appendix A) and Report DA-2404 (Appendix B) shall be used to report all anomalies and shall be provided to the government in accordance with section 4.0 of this SOW.

3.2.2 <u>Phase II (Repair)</u> After pre-induction tests and inspections have been completed, repair of the Cable Assembly, Power, Electrical shall be accomplished in accordance with this SOW. Deficiencies noted on the Pre-Induction Checklist (Appendix A and Appendix B) during Phase I shall be repaired/replaced. Components or assemblies shall not be disassembled for replacement of parts unless that part has failed, or the component assembly wherein the part is located is disassembled for repair.

a. Hardware

- (1) Replace broken, unserviceable and/or missing hardware including nuts, bolts, screws, washers, turnlock fasteners, mandatory replacement items, safety, and one-time use items. Unserviceable would include any of the above that failed to function properly.
- (2) Ensure proper hardware locking devices are present on all moving mechanical assemblies.
- (3) Hardware normally supplied with commercial parts shall be used unless specifically prohibited.
- b. <u>Publications and Documentation</u> The Contractor shall use appropriate technical documentation, as described in paragraph 1.1, to restore the Cable Assembly, Power, Electrical to condition code "A."
 - c. The following Standards and Publications shall be used to assist the Contractor:

247892-720 Test Specifications 247892-750 Test Procedures

3.2.3 Phase III (Inspection, Testing and Acceptance)

- a. Inspection, Testing and Acceptance of the Cable Assembly, Power, Electrical shall be conducted in accordance with the documents listed in section 3.2.2.c and documentation retained by the manufacturer.
- b. The Contractor shall be responsible for conducting required tests in accordance with applicable procedures and specifications.
- c. The Contractor shall be responsible for correcting any deficiencies identified during inspection/testing. MCLB (Code 843-2), Albany, GA representatives may require the Contractor

Date: March 25, 1999

to repeat tests or portions thereof, if the original tests fail to demonstrate compliance with this SOW.

3.2.4 Phase IV (Packaging, Handling, Storage and Transportation (PHS&T))

- a. The contractor shall be responsible for preservation and packaging of items being repaired under the terms of this statement of work. Preservation and Packaging of items scheduled for long term storage or immediate shipment to overseas destinations shall be level "A" in accordance with requirements of NAS-3417. Items scheduled for domestic shipment shall be level "B."
 - b. Marking of all items shall be in accordance with MIL-STD-129.
- c. The Marine Corps will provide the contractor with the shipping address(es) for delivery of the repaired equipment, and the contractor shall be responsible for arranging for shipment to the pre-designated site. The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.
- 3.3 Government Furnished Equipment (GFE)/Materiel (GFM) Accountability. GFE is government owned equipment authorized by contract for use by a commercial/Government contractor. It is neither consumed during production nor incorporated into any product. GFM is materiel furnished to a contractor that will be consumed during the course of production or incorporated into the product being manufactured/remanufactured under a contract/statement of work. In the event the Marine Corps does have GFE/GFM requirements the Management Control Activity (MCA/G316-2), Marine Corps Logistics Bases, Albany, Georgia, will coordinate required GFE and will maintain a central control on Marine Corps assets in the Contractor's possession. The MCA will forward a GFE Accountability agreement to the Contractor Facility for signature to establish a chain of custody and property responsibilities for Marine Corps assets.
- 3.4 <u>Contractor Furnished Materiel</u> In the event that Contractor Furnished Materiel is required for repair parts, the DOD 4000.25-1-M, (MILSTRIP) Chapter 11 authorizes contractors to requisition through the DoD Supply System. The Marine Corps has adopted the Navy's procedures regarding Contractor Furnished Materiel (NAVICPINST 4491.2A). This would require specific provisions in section H of the contract to place total responsibility on the contractor to obtain direct electronic access to the DoD Supply System, electronically submit their requisitions, maintain status, receive billing from the source of supply and provide direct payment to DFAS.
- 3.5 <u>Electrostatic Discharge (ESD) Control Program</u> The contractor shall establish, implement and document an ESD control program following the guidelines provided in EIA-625. ESD protective measures shall be used during manufacturing, handling, inspection, test, marking, packaging, storing and transporting ESD sensitive components.

Date: March 25, 1999

3.6 Quality Assurance Provisions The Contractor shall provide and maintain a Quality System that as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality System Model for Quality Assurance in Final Inspection and Test. The program shall ensure quality throughout all areas to include design, fabrication, processing, assembly, inspection, test, maintenance, and preparation for delivery and shipping. Unless otherwise specified in the contract, the contractor shall be responsible for performance of all inspection requirements. The Government reserves the right to perform any of the inspections set forth in the contract where such inspections are deemed necessary to assure products and services conform to the prescribed requirements.

- 3.7 <u>Acceptance</u> The performance of the Contractor and the quality of work delivered, including all equipment furnished and documentation written or compiled, shall be subject to in-process review and inspection during performance. Inspection may be accomplished in-plant or at any work site or location, and Marine Corps representatives shall be permitted to observe the work or to conduct an inspection.
- **Rejection** Failure to comply with any of the specified requirements listed herein shall be reason for rejection by MCLB Code 843-2, Albany, representative. The Contractor shall, at no additional cost to MCLB, Albany, Georgia, correct the deficiencies and repeat the verification until an acceptable compliance with acceptance test procedures is demonstrated.
- 3.9 <u>Configuration Control</u> If necessary to temporarily depart from the authorized configuration, the contractor shall prepare and submit a Request for Deviation/Request for Waiver using MIL-STD-973, paragraph 5.4.3 or 5.4.4, and subparagraphs and Appendix E, as a guide. Any proposed permanent departures to the configuration baseline affecting fit, form, or function, shall require an Engineering Change Proposal using MIL-STD-973, paragraph 5.4.2 and Appendix D as a guide.

4.0 Reports

- 4.1 <u>Pre-Induction Checklist</u> The Contractor shall complete the Pre-Induction Inspection Checklist (Appendix A and Appendix B) for each Cable Assembly, Power, Electrical repaired. These documents shall be available prior to final acceptance testing. One copy of each document shall be provided to MCLB (Code 843-2) Albany, Georgia, after final acceptance of the Cable Assembly, Power, Electrical.
- **4.2** Repairable Item Inspection Report The Contractor shall provide a Repairable Item Inspection Report for each Cable Assembly, Power, Electrical. The report shall be identified by United States Marine Corps Serial Number.
- **4.3** Monthly Progress Report The Contractor shall provide a Monthly Progress Report summarizing the progress and status of the Cable Assembly, Power, Electrical Program.

								· · · · · · · · · · · · · · · · · · ·			
1. ORGANIZ	ZATION	For use	of this form, se	ee DA PAM 73	8-750 an				CSLOG		
2. REGISTR	ATION/SERIA	IL/NSN	4a MILES	4b. HOURS	FIRE	D	4d HOT STARTS	5. DATE		6. TYPE II	NSPECTION
7. TM NUMBE	3R		1	APPLICABLE REFERENCES TM DATE COLUMN d - Show corrective action for deficiency or should be controlled by higher authority or as on can be accomplished. Chat a required inspection, ration check, or test flight is overdue MWO has not been DEQUIPMENT CONDITIONS RECORDED ON THIS FORM HAVE BEEN DETERMINED WITH DIAGNOSTIC PROCEDURES AND STANDARDS IN THE TM CITED HEREON. STATUS SYMBOLS DIAGONAL "(/)" - Indicates a materiel defect other than a which must be corrected to increase efficiency or to make completely serviceable. LAST NAME INITIAL IN BLACK, BLACK-BLUE INK, Indicates that a satisfactory condition exists. FOR AIRCRAFT - Status symbols will be recorded in red. STATUS SYMBOLS DIAGONAL "(/)" - Indicates a materiel defect other than a which must be corrected to increase efficiency or to make completely serviceable. LAST NAME INITIAL IN BLACK, BLACK-BLUE INK, Indicates that a satisfactory condition exists. FOR AIRCRAFT - Status symbols will be recorded in red. STATUS SYMBOLS DIAGONAL "(/)" - Indicates a materiel defect other than a which must be corrected to increase efficiency or to make completely serviceable. LAST NAME INITIAL IN BLACK, BLACK-BLUE INK, Indicates that a satisfactory condition exists. FOR AIRCRAFT - Status symbols will be recorded in red. STATUS SYMBOLS FOR AIRCRAFT - Status symbols will be recorded in red. STATUS SYMBOLS FOR AIRCRAFT - Status symbols will be recorded in red. STATUS SYMBOLS FOR AIRCRAFT - Status symbols will be recorded in red. STATUS SYMBOLS FOR AIRCRAFT - Status symbols will be recorded in red. STATUS SYMBOLS FOR AIRCRAFT - Status symbols will be recorded in red. STATUS SYMBOLS FOR AIRCRAFT - Status symbols will be recorded in red. STATUS SYMBOLS FOR AIRCRAFT - Status symbols will be recorded in red. STATUS SYMBOLS FOR AIRCRAFT - Status symbols will be recorded in red. STATUS SYMBOLS FOR AIRCRAFT - Status symbols will be recorded in red. STATUS SYMBOLS FOR AIRCRAFT - Status symbols will be recorded in red. STATUS SYMBOLS FOR AIRCRAFT - Stat							
COLUM	IN b - Ente	r applicable cond	•				liste UMN e - Indi	ed in Column e. vidual ascertaini		-	_
-					2 SITTA	VMBOI		ilis Columbi.			
"X" - Inc	dicates a de	ficiency in the ea	winment that n		AIOSS			Indicates a mate	riel defect	other th	an a deficiency
inoperative CIRCLE operated up	e status. D "X" - Inc nder specifi	licated a deficient	ncy, however, the	ne equipment m		which complete	must be corniely se	rected to increase rviceable. TAL IN BLACK	e efficiency	y or to m	nake the item
component	t replaceme s not been a ned.	nt, maintenance o accomplished, or	operation check an overdue MV	t, or test flight is VO has not been	ו			·			
	ALL T	NACCORDANC	AND EQUIPM TE WITH DIAC	ENT CONDIT	CEDURI CEDURI	ES AND	CTANDART	FORM HAVE B	EEN DET. TITED HE	EKMINI PEON	ED
8a. SIGNAT				•						ICLOIV.	10. MANHOURS REQUIRED
TM ITEM NO. a.	STATUS b.	DEFI		ORTCOMINGS	<u> </u>		COI		<u>l</u>		INITIAL WHEN CORRECTED e.
											
		-				ļ					
						ļ					
				•		 					
				-		-					
				•		ļ					
						 					
						ļ					
	GISTRATION/SERIAL/NSN 4a MILES 4b. HOURS APPLICABLE REFERENCES TIM DATE TIM NUMBER COLUMN d - She list DLUMN b - Enter applicable condition status Symbol. DLUMN c - Enter deficiencies and shortcomings. STATUS SYMBOLS Tolicates a deficiency in the equipment that places it in an erative status. CCLED "X" - Indicated a deficiency, however, the equipment may be atted under specific limitations as directed by higher authority or as ribed locally, until the corrective action can be accomplished. RIZONTAL DASH "(-)" - Indicates that a required inspection, onent replacement, maintenance operation check, or test flight is ut has not been accomplished, or an overdue MWO has not been mplished. ALL INSPECTIONS AND EQUIPMENT CONDITIONS RECORDED ON THIS IN ACCORDANCE WITH DIAGNOSTIC PROCEDURES AND STANDAR GNATURE (Person(s) performing inspection) DEFICIENCIES AND SHORTCOMINGS COLUMN d - She list COLUMN d - She list COLUMN d - She list COLUMN c - Ind in COLUMN c - Ind in COLUMN c - Ind in FOR AIRCRAFT FOR AIRCRAFT										
	<u></u>									Ī	

INSTRUCTIONS DEPARTMENT OF DEFENSE: DLAR 4140.55/AR 735.11.2/NAVSUPINST 4440.127E/AFR 400.54/MCO 4430.3E, Reporting of Item and Packaging Discrepancies, and/or DLAR 4140.60/AR 12-12/NAVSUPINST 4920.9B/AFR 67.7/MCO 4140.1B, processing Discrepancy Reports Against Foreign Military Sales Shipments. CIVILIAN AGENCIES: See FPMR handbook cited in 19 (2) (a). I. DATE OF PREPARATION 2. REPORT NUMBER REPORT OF DISCREPANCY (ROD) SHIPPING PACKAGING 3. TO: (Name and Address, Include ZIP Code) 4. FROM: (Name and Address, Include ZIP Code) 5a SHIPPERS NAME 5b. NUMBER AND DATE OF INVOICE Sc. TRANSPORTATION DOCUMENT NUMBER (GBL, Waybill, TCN, etc.) 7a. SHIPPER'S NUMBER (Purchase Order/Shipmnet, 7b. OFFICE ADMINISTERING CONTRACT REQUISITIONER'S NUMBER (Requisition, Purchase Request, Contract, etc.) 10. DISCREPANCY DATA SHIPMENT, BILLING, AND RECEIPT DATA ACTION NSN/PART NUMBER AND UNIT OUANTITY OUANTITY OLIAN INIT TOTAL NOMENCLATURE RECEIVED CODE CODE SHIPPED/ TITY PRICE COST ISSUE BILLED (d) (a) **(b)** (c) (a) (b) (c) (d) 12. REMARKS (continue on separate sheet of paper if necessary) DISCREPANCY CODES 2 ACTION CODES CONDITION OF MATERIAL PRODUCT QUALITY DEFICIENCIES Q1 - Deficient material (Applicable to Grant Aid and FMS shipments) SHORTAGE OF MATERIAL Ct - In condition other than that indicated on 1A - Disposition instructions requested (Reply on reverse) release/receipt document 1B - Material being retained (See Remarks)
1C - Supporting supply documentation requested C2 - Expired shelf life S1 - Quantity less than that on receipt document S2 - Quantity less than that requested (Other than unit of issue pack)
S3 - Non-receipt of parcel post shipments
ITEM TECHNICAL DATA MARKINGS (i.e., Name Plates, Log C3 - Damaged parcel post shipment SUPPLY DOCUMENTATION ID - Material still required, expedite shipment (No. applicable to FMS)
1E - Local purchase material to be returned at supplier's D1 - Not received D2 - Illegible or mutilated Books, Operating Handbooks, Special Instructions, etc.) expense unless disposition instructions to the contrary D3 - Incomplete, Improper or without authority

(Only when receipt cannot be properly processed) T1 - Missing T2 - Illegible or Mutilated are received within 15 days (Reply onreverse) (Not applicable to FMS) MISDIRECTED MATÉRIAL T3 - Precauttionary operational markings missing 1F - Replacement shipment requested (Not applicable to MI - Addressed to wrong activity
OVERAGE/DUPLICATE SHIPMENTS T4 - Inspection data missing or incomplete T5 - Serviceability operating data missing or incomplete IG - Reshipment not required. Item to be re-requisitioned O1 - Quantity in excess of that on receipt document T6 - Warranty data missing 1H - No action required. Information only O2 - Quantity in excess of that requested (Other than unit of issue pack) WRONG ITEM (Identify requested item as a separate copy in Item 9. IZ - Other action requested (See remarks) O3 - Quantity duplicate shipment above)
W1 - Incorrect item received PACKING DISCREPANCY P1 - Improper preservation W2 - Unacceptable substitute P2 - Improper packing OTHER DISCREPANCIES P3 - Improper Marking Z1 - See Remarks P4 - Improper unitization 13. FUNDING AND ACCOUNTING DATA 14a. TYPED OR PRINTED NAME, TITLE, AND PHONE NUMBER OF PREPARING OFFICIAL 14h SIGNATURE 15. DISTRIBUTION ADDRESSEES FOR COPIES

16. FROM:		17. DISTRIBUTION ADI	DRESSEES FOR D	ISTRIBUTION	
18. TO:					
•				ndow envelope to mail	
			address	ment. Insert Name and , including ZIP Code,	
				one typing space below t. Each address line must	
			NOT ex	tend beyond right dot. ust not exceed four single	
				pace typing lines.	
19. IN ACCORDANCE WIT	TH NOTICE OF I	NCCREBANCYON	EACE OF TU	IC EODM.	
	ENT NUMBER	ASCREPANCT ON	PACE OF TH	IS FORM.	. , ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
HAS WILL BE SHIPPED				NO RECORD OF SHIP PROPER OFFICE UND	MENT: RESUBMIT REPOR ER APPROPRI
c AN ADJUSTMENT IN BILLING HAS BEEN/WILL BE PROCESSED AS A		DEBI	Т	d. INVOICE/BILL ATTACHED	c. PR
AN ADJUSTMENT IN BILLING FOR THIS REPORTED DISCREPA	ANCY WILL NOT BE	PROCESSED FOR THE P	OLLOWING REAS		
(i) REASON FOR NOT PROCESSING				···	CRIBING REGULATION
(a) DISCREPANCY WAS NOT REPORTED WITHIN THE TIME FRAMES A	ALLOWED AND/OR			(a) CHAPTER 5 OF THE GSA OR DEFICIENCIES IN GSA OR	
(b) DOLLAR VALUE DOES NOT MEET THE CRITERIA PRESCRIBED IN OR AGREEMENT INDICATED IN 191(2) THE FOLLOWIN		TO BE MADE OF THE RE	FERENCED MAT	(b) CHAPTER 2 AND/OR 7 OF STANDARD BILLING SYSTEM ERIAL	
a PROCESS FOR DISPOSAL IN ACCORDANCE WITH SERVICE/AGENCY DIRECTIVES			ESENTATIVE WII SITION	LL CALL FOR DISCUSSION CONCERN	IING
c RETAIN MATERIAL AT NO CHARGE		d. MATE	ERIAL WILL BE P	ICKED UP IN:	
e SHIP MATERIAL Specify location)					
(1) GBL APPROPRIATION CHARGEABLE:					
(2) CHARGES COLLECT - VIA:	FREIGHT		EXPRESS	PARCEL POST	
(3) PARCEL POST LABEL ATTACHED	(4)		FREIGHT PREP	AID	
f OTHER (Specify)					
2 IF MATERIAL IS STILL REQUIRED, 1 SUBMIT NEW REQUISITION.			ACEMENT WITH BE MADE ON/OR	SATISFACTORY MATERIAL BEFORE:	
23. REMARKS (Continue on separate sheet of paper if necessary).				· · · · · · · · · · · · · · · · · · ·	
24a. TYPED OR PRINTED NAME AND PHONE NUMBER OF OFFICIAL	PREPARING	24b. SIGNATURE			
				STAND	ARD FORM 364 BACK (REV

UIREMENTS LIST Form Approved
m) OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to everage 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Devia Highway, Suita 1204, Arington, VA 22202.4302. Respondents should be aware that notwithstending any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently veild OMB control number.

Please DO NOT RETURN your form to the above address. Send completed form to the Revergence tessine Contractific Please.

. CONTRACT LI	NE ITEM NO.	B. EXHIBIT	ſ	C. CATEGORY:		. •			
			C CONTRACTOR		OTHER				
. system/iten Cable As	sembly, Power El	lectrical	E. CONTRACT/PR	i Mu,	F. CONTRA	ACIUK			
DATA FTEM NO.	2. TITLE OF DATA ITEM				3. SUBTITLE				
A001	Contractor's	Progress. S	status, and Ma	magement Report					
	equisition Document No.)	8	5. CONTRACT REFERE		<u> </u>	6. REQUIRING OFFICE			
Ι	OI-MGMT-80227			SOW 4.3		MCLBA	1 (843))	
OD 250 REQ	9. DIST STATEMENT REQUIRED	18. FREQUEN		12. DATE OF FIRST SUBMIS		14. DISTRIBUTION	· · · · ·		
LT APP CODE		11. AS OF DA	THLY	See Blk 13. DATE OF SUBSEQUENT	10		h. COPIES		
ALL GODE		11.70 51 51		SUBMISSION See Blk	16	a. ADDRESSEE	Draft	Reg	Repr
. REMARKS				See Bik	10	MCLBA (843-2)	0	1	
lk 4 - Taile	or DI-MGMT-802 , 10.3k, and 10.3i	27 as follo	ws: Delete pa	ragraphs 10.3g,	10.3h,				
_									
lk 12 - The	e reporting period al submission shal	shall be from	om the first to	last business day	of each		+		
	ar suomission snar osequent submissio						+		
ach month.	oscquent subimssic	ous shall de	. 10 days allei	uic iast ousiness	uay 01				
							-		
							+-		
							 		
							 		
							\sqcup		
							 		
							•		
PREPARED BY	. <u> </u>		H. DATE	I. APPROVED		15. TOTAL	J. DATE	1	

DD FORM 1423-1, AUG 96 (EG)

PREVIOUS EDITION MAY BE USED.

Page of Pages

17, PRICE GROUP

18. ESTIMATED TOTAL PRICE

(1 Data Item)

Form Approved

OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments reporting this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Ospartment of Defanae, Washington Heedquarters Services, Directorate for Information Department of Defanae, Washington VA 22202 4302. Respondents should be aware that notwithstawding any other provision of law, no person shall be subject to any penelty for falling to comply with a collection of information if it does not display a currently valid OMB control number.

Please 00 NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. Issted in Block E.

A. CONTRACT LINE	ITEM NO.	B. EXHIBIT	<u> </u>	C. CATEGORY:						
				TDPTM	OTHER	<u> </u>				!
D. SYSTEM/ITEM Cable Asser	mbly, Power Elec	trical	E. CONTRACT/PR	NO.	F. CONTRA	ACTOR				į
1. DATA ITEM NO.	2. TITLE OF DATA ITEM		l	<u> </u>	3. SUBTITLE					17. PRICE GROUP
B001	Repa	irable Ite	m Inspection	Report						1
4. AUTHORITY (Data Acquis			5. CONTRACT REFERE			6. REQUIRING OFFICE				18. ESTIMATED TOTAL PRICE
	I-ILSS-80386			SOW 4.2		MLCB	A (843))		1 ,0120111100
7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENC		12. DATE OF FIRST SUBMISSI		14, DISTRIBUTION				
LT			ASREQ	See Blk 1	0			h. COPIES		\ <u> </u>
B. APP CODE		11. AS OF DAT	TE	13. DATE OF SUBSEQUENT SUBMISSION		a. ADDRESSEE	Draft	Fit	nal	
				See Blk 1	6			Reg	Repro	
16. REMARKS						MCLBA (843-2)	0	1	0	
Blk 10 - A sep Electrical repa	arate report shall ired.	be submi	itted for each	Cable Assembly,	Power					
Blks 12 & 13 - completion of	- Submit report by each Cable Assen	y Marine nbly, Pov	Corps Serial ver Electrical.	Number 30days as	fter					1
	rts shall be provid									1
										. 1
										İ
										1
										i
										1
							1			
										;
										Ì
							-			
										1
							-			1
							-			1
										1
										· ·
										i
						15. TOTAL	0	1	0	!
G. PREPARED BY			H. DATE	I. APPROVED B	Y		J. DATI	÷		
Ronn	in M. B.	ock	3/16/	99 Wellia	116	and E	3//	(6/9	g	

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimates a pany other seaport of this collection of information, including suggestions for reducing the burden, to Department of Defense, Weshington Headquerters Services, Directorate for Information Operations and Reports (2071-0188), 1215 Jeffreson Davis Highway, State 1204, Affington, VA 22202-4302. Respondents should be aware that notwithstanding wither provision of lew, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

Please DO NOT RETURN your form to the above address. Send completed form to the Government leveling Controling Officer for the CentracyPR No. listed in Block E.

A. CONTRACT LINE	ITEM NO.	B. EXHIBIT]	C. CATEGORY:	OTHER	×				1
D. SYSTEM/ITEM		L	E. CONTRACT/PR		F. CONTRA			-		!
Cable Asser	mbly, Power Elec	trical								:
1. DATA ITEM NO.	2. TITLE OF DATA ITEM				3. SUBTITLE					17. PRICE GROU
C001	En	gineering	Change Prop	osai		Configuration Ma	nageme	ent		!
4. AUTHORITY (Data Acquis			5. CONTRACT REFEREN			6. REQUIRING OFFICE	A (005)			18. ESTIMATED
7. 00 250 REQ	CMAN-80639B	10. FREQUEN	PV	SOW 3.9	\ <u>u</u>	MCLB	A (825))		
LT	REQUIRED		 ASREQ	See Blk 1		14. DISTRIBUTION	ŀ	h. COPIES		
8. APP CODE		11. AS OF DA		13. DATE OF SUBSEQUENT		B. ADDRESSEE			inal	, L
	A			SUBMISSION			Draft	Reg	Repro	1
16. REMARKS						MCLBA (825-2)	0	1	0	1
	ctor format is autl									
Blks 10 & 12 - permanently at	- ECPs shall be suffect the baseline of	bmitted to a confi	for all propose iguration item	ed changes which						
Upon receipt be determined with	by the Governmen thin 30 calendar d	t, ECPs a	shall be reviev	ved and dispositio	n					
ECPs shall be	submitted in hard	сору.								1
Distribution St	atement A: Appr	oved for	public release	, distribution is u	nlimited.					
										į
										1
									1	1
									ļ .	
									<u> </u>	l'i
										1
										1
								•		
										İ
							-			1
										1
							1			i.
										1
										1
							1			[
						15. TOTAL	0	1	0	ľ
G. PREPARED BY	09	1/1	"MAR 1	I. APPROVED B	Y	\sim	J. DATI		, ,	1
Winne.	X. BNAd	Ven	1 YWY T	6 1999 Wei	Main	1. Kraft	3/1	6/4	9	
DD FORM 1423-	1, AUG 96 (EG)		PR	EVIOUS EDITION MAY BE	UŞED.	,	Page	of	Pages	• •

Designed using Perform Pro, WHS/DIDR, Aug 96

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing date sources, gathering and maintaining the date needed, and completing and reviewing the collection of information. Send comments reparding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Departiens and Reports (0701-0188), 1215 Jefferson Davis Highway, Suita 1204, Arfington, VA 22202-4302. Respondents should be aware that notivithstanding any other provision of leave, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please DO NOT RETURN your form to the above address. Send completed form to the Government issaing Contracting Officer for the Contractiff No. issted in Block E.

-	ontracting officer for the contractin								
A. CONTRACT LINE	ITEM NO.	B. EXHIBIT	Ī	C. CATEGORY:	OTHER	×			
D. SYSTEM/ITEM Cable Asse	mbly, Power Elec	trical	E. CONTRACT/PR	NO.	F. CONTRA	CTOR			
1, DATA ITEM NO.	2. TITLE OF DATA ITEM		<u></u>		3. SUBTITLE			* .	
C002		Request	For Deviation	n		Configuration Mar	nageme	nt	
4. AUTHORITY (Data Acqui	isition Document No.)		5. CONTRACT REFEREI			6. REQUIRING OFFICE			
DI-	CMAN-80640B			SOW 3.9		MCLBA	A (825)	•	
7. DD 250 REQ LT	8. DIST STATEMENT REQUIRED	10. FREQUENC	SREQ	12. DATE OF FIRST SUBMISSI SEE BLK		14. DISTRIBUTION		b. CDPIES	
B. APP CODE	-	11. AS OF DA		13. DATE OF SUBSEQUENT		a. Addressee		Fir	vat
	A			SUBMISSION			Draft	Reg	Repro
16. REMARKS Blk 4 - Contra	ector format is aut	horized.				MCLBA (825-2)	0	1	0
			to obtain auth meet prescribe	orization to delive ed configuration	er				
				hin 30 calendar da					
	submitted on a 3							· — ·	
Distribution S	tatement A: Appr	roved for	public release	e, distribution is u	nlimited.				
								_	
·						15, TOTAL	0	1	0
G. PREPARED BY	L. Know	V Do	H. DATE MAR 16	I. APPROVED B	1/_ 1	Pa	J. DATE	1/2/	00
DD FORM 1423-	1. AUG 96 (EG)	VIII)		REVIOUS EDITION MAY BE	USED.	13gelde	Page	4/7	Panes

17. PRICE GROUP 18, ESTIMATED TOTAL PRICE

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to everage 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and meintaining the data needed, and completing and reviewing the collection of information. Send comments reparding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquerters Services, Directorate for Information Department of Defense, Washington variety (100 per production) and the provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

Please DO NOT RETURN your form to the above address. Send completed form to the Contraction Officer for the Contraction O

	Contracting Officer for the Contract			C. CATEGORY:					
A. CONTRACT LINE	; IIEM NU.	B. EXHIBIT		TDP TM_	OTHER	HER X			
D. SYSTEM/ITEM Cable Asse	embly, Power Ele	ectrical	E. CONTRACT/PR	i NO.	F. CONTRA	ACTOR			
. DATA ITEM NO.	2. TITLE OF BATA ITEM	-	4		3. SUBTITLE				
C003		Reques	t For Waiver			Configuration Man	nageme	ent	
I. AUTHORITY (Data Acqui DI-	CMAN-80641B		5. CONTRACT REFEREN	SOW 3.9		8, REQUIRING OFFICE MCLBA	A (825))	
7. DD 250 REQ	2. DIST STATEMENT REQUIRED	10. FREQUENC		12. DATE OF FIRST SUBMISS		14. DISTRIBUTION			
LT L APP CODE	_	11, AS OF DAT	ASREQ	14 CATE OF AUDOFOURNT					
a. AFF GUME	Α	11.70 01 57		SUBMISSION		a. ADDRESSEE	Draft	Reg Fin	Repro
16. REMARKS						MCLBA (825-2)	0	1	(
Blk 4 - Contra	actor format is au	thorized.							
	- RFWs shall be a graterial which a.								
7 -	reviewed and dis Government.				lays upon				
RFWs shall be	e submitted on a 3	3.5" disk i	in ASCII form	nat.			1	<u> </u>	
Distribution S	Statement A: App	roved for	public release	e, distribution is t	ınlimited.			\vdash	
						- AND AND AND AND AND AND AND AND AND AND	_		
							<u></u>		
								\vdash	
						<u> </u>	-	 	
								 	
								-	
								 	
									
								\vdash	
							 	 	
							 	\vdash	
							+		
						15. TOTAL	0		(
3. PREPARED BY	nem /	1//	H. DATE	I. APPROVED F	ЗУ	1	J. DATI	E	
10 vane	J. Brud	Plu	MAR 1	€ 1997 lis	llear	2. Kar M.	3/1	619	9

18. ESTIMATED TOTAL PRICE

DD FORM 1423-1, AUG 96 (EG)